

Healthy Kids Survey
Carmel Valley Middle School
Selected Findings 2017
N=1079^{*†‡}

Date of Survey: Spring 2017

Notes:

* 98% of students in attendance on the survey date


† 91% of students enrolled

‡ 3% of collected surveys deemed unreliable




Gender Distribution

CVMS 2017




Grade Level Distribution

CVMS 2017




Ethnicity Distribution

CVMS 2017




Lifetime Substance Use

CVMS 2017




Past Month Substance Use

CVMS 2017




Lifetime Riding in a Car With Someone Driving Drunk

CVMS 2017
(By Grade)




I Feel Like I Am a Part of My School

CVMS 2017




A Teacher or Other Adult Cares About Me

CVMS 2017




Number of Times You Have Had Mean Rumors Spread About You

CVMS 2017




Number of Times Other Students Spread Mean Rumors About You on the Internet for Students Experiencing any Type of Rumors

CVMS 2017




How Safe You Feel When You Are at School

CVMS 2017



Number of Times You Have Been Bullied in the Last 12 Months


CVMS 2017



Ever Been Physically Hurt by Boyfriend or Girlfriend

(Past 12 months)


CVMS 2017



Ever Felt So Sad You Stopped Doing Some Usual Activities

(Past 12 months)


CVMS 2017



Ever Skip School or Cut Class


(Past 12 months)

CVMS 2017



Ate Breakfast Today

CVMS 2017



Carmel Valley Middle School
Healthy Kids Survey
2017

Lifetime Substance Use

	7th	8th	Overall
	(%)	(%)	Mean
	(%)	(%)	(%)
Alcohol	8.0	10.3	9.2
Marijuana	1.4	2.2	1.9
Cigarettes	0.4	1.1	0.8
Smokeless tobacco	0.2	0.4	0.3
Hookah	1.0	2.6	1.9
Vaping devices	1.2	6.5	4.0
Inhalants	2.3	1.9	2.2
Other drugs*	3.1	2.3	2.8

Past 30 Days Substance Use

	7th	8th	Overall
	(%)	(%)	Mean
	(%)	(%)	(%)
Alcohol	2.0	4.5	3.3
Binge	0.4	0.7	0.6
Marijuana	0.2	0.9	0.6
Cigarettes	0.2	0.2	0.2
Smokeless tobacco	0.0	0.2	0.1
Hookah	0.4	0.2	0.3
Vaping devices	0.4	2.8	1.7
Inhalants	0.4	0.6	0.5
Other drugs*	0.8	0.9	0.9

Recent Binge Drinking (past 30 days)

	7th	8th	Overall
	(%)	(%)	Mean (%)
All students	0.4	0.7	0.6
Recent drinkers	20.0	16.7	17.6

Violence, Safety, and Harassment Percent Reporting

	7th	8th	Overall
	(%)	(%)	Mean (%)
Ethnicity	9.6	13.0	11.3
Religion	6.1	7.3	6.7
Gender	3.3	4.9	4.1
Disability	2.7	3.6	3.1

Relational Aggression Percent Reporting

	7th	8th	Overall
	(%)	(%)	Mean (%)
Made fun of looks/speech	24.7	27.6	26.1
Sexual comments	27.9	26.1	26.8
Rumors spread	32.1	32.3	32.0

Physical Aggression Percent Reporting

	7th	8th	Overall
	(%)	(%)	Mean (%)
Afraid of injury	8.4	6.4	7.3
Pushed/shoved	20.6	12.5	16.3

I Feel SAFE In My School

	7th	8th	Overall
	(%)	(%)	Mean (%)
Strongly disagree	1.2	1.3	1.3
Disagree	3.7	2.8	3.3
Neither disagree	15.4	13.5	14.3
Agree	44.5	45.5	45.2
Strongly agree	35.2	37.0	36.0

I Feel Like I'm a PART of My School

	7th	8th	Overall
	(%)	(%)	Mean (%)
Strongly disagree	2.1	2.4	2.2
Disagree	6.2	5.8	6.0
Neither disagree	22.4	23.7	23.1
Agree	47.7	42.9	45.3
Strongly agree	21.6	25.2	23.4

A Teacher/Adult at School CARES About Me

	7th	8th	Overall
	(%)	(%)	Mean (%)
Not at all true	8.5	12.0	10.3
A little true	20.7	23.6	22.2
Pretty much true	40.2	33.7	36.9
Very much true	30.6	30.7	30.6

This report was generated on June 7, 2017

Notes

Students' responses were deemed unreliable if recent substance use history was inconsistent with their lifetime responses or they reported using a fake drug.

Ethnicity Distribution: other signifies mixed (two or more) races

Lifetime Substance Use: other drugs include methamphetamine or any amphetamine, inhalants, LSD or other psychedelics, ecstasy, heroin, cocaine, cough/cold medicines, Ritalin™, or Adderall™, barbiturates, tranquilizers or sedatives, and any other drug or pill to get "high"

Past Month Substance Use: other drugs includes methamphetamine or any amphetamine, inhalants, LSD or other psychedelics, ecstasy, cocaine, prescription pain medication to get "high" or for reasons other than prescribed (such as Vicodin™, OxyContin™, Percodan™, Ritalin™, Adderall™, Xanax™) and any other drug or pill to get "high".